Third-Party BizVerify
Accen Technology Co., Limited
Verified By : SMR(HK)
Verified Date : 2013-08-27

ACCEN TECHNOLOGY CO., LIMITE

Gold Supplier 5th year | Factory Audit

http://www.accenhk.com; Tel: 0086-755-27808569; Mobile Phone: 0086-15889506340

Attn.: Mr Andy Wen; Email: andy@accenhk.com; accen.technology@gmail.com; Skype: accentek

GPS Tracker Price List (FOB Shenzhen, China)

Part I: Portable GPS Tracker

Model	Picture	Main Features	Size and Weight
GPS102 (TK102B)		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address Inbuilt GPS and GSM Antenna Track by SMS/GPRS Location inquiry by calling, sending SMS or on platform by GPRS Auto Track by Time Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely Inbuilt 1MB Memory (16,000 Points Storage) for Data Logging Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform Inbuilt Shock Sensor Alarm SOS Panic Alarm Overspeed Alarm, Movement Alarm, Geo-fence Alarm GPS Blind Spot Alert Low Battery Alarm Sleep Mode by Time or Shock sensor to save power Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 64 x 46 x 17mm **Net Weight** 50g **Box Size** 192x130x57mm **Gross Weight** 0.40kg per box **Standard Packing** 1 x Main Unit & Box 2 x Batteries 1 x Wall Charger 1 x USB Cable 1 x Magnetic Cover 1 x Normal Cover 1 x Waterproof bag 1 x CD & User Manual

Unit Price(USD)		Optional Accessories	
Sample		Car Charger A	
MOQ (10)		Car Charger B	
100		Web Tracking	
500			
1000			

Model	Picture	Main Features	Size and Weight
TK600		JRC GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS Tracking, Display position coordinates on LED Screen Inbuilt GPS and GSM Antenna Low power consumption Quick signal Acquisition Track by SMS/GPRS Location inquiry by calling, sending SMS or on platform by GPRS Auto Track by Time Interval continuously Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Support voice surveillance remotely under guardianship mode Support Data Loading to online tracking platform by GPRS Support Fast Dial 2 preset phone numbers to ask for help **Inbuilt Microphone and speaker for 2-way audio communication** SOS Panic Alarm Overspeed Alarm; Movement Alarm; Geo-fence Alarm Low Battery Alarm Checking IMEI, Set Local Time GPRS Setting Web platform tracking service	**Dimension** 64.5 x 45.5 x 17.5mm **Net Weight** 50g **Box Size** 128x112x102mm **Gross Weight** 0.36kg per box **Standard Packing** 1 x Main Unit & Box 2 x Batteries 1 x Wall Charger 1 x USB Cable 1 x CD W/ User Manual

Unit Price(USD)		Optional Accessories	
Sample		Earphone W/ MIC	
MOQ (10)		Web Tracking	
100			
500			
1000			

Model	Picture	Main Features	Size and Weight
PG66G		U-Blox GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Support position with detailed address Track by SMS/GPRS, Inbuilt GPS and GSM Antenna Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Report position to mobile phone by SMS or platform by GPRS **1.5" Colorful OLED Screen Display, Full touch screen operation** Mobile Phone Function: call, send & receive SMS, Take Photo **Inbuilt 1.3M Pixel Camera for photo snapshot** Inbuilt multi-media Music and Video player SOS Panic Alarm, enable to set 3 numbers for accepting SOS Alarm **Support Callback and voice surveillance by SMS**	Dimension Diameter: 45.84mm, Thickness (W/ battery): 17.50mm Net Weight 50g Box Size 157x97x72mm Gross Weight 0.31kg per box

Unit Price(USD)		Optional Accessories	
Sample		Extra battery	
MOQ (10)		Web Tracking	
100			
500			
1000			

Location inquiry by SMS or Call or on platform via GPRS
Inbuilt Microphone and speaker for 2-way audio communication
Geo-fence Alarm; Low Battery Alarm
Call management: only allow authorized numbers or allow all
Restore factory settings by SMS command
Online web tracking platform

Standard Packing
1 x Main Unit & Box
1 x Batteries
1 x Wall Charger
1 x USB Cable
1 x Earphone
1 x User Manual
1 x User Manual

Model	Picture	Main Features	Size and Weight
XT107		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz Inbuilt GPS and GSM Antenna Compact size, enable to attach on keychain or hang around neck Location inquiry by calling, sending SMS or on platform by GPRS Auto Track by Time & Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely **Inbuilt Microphone and speaker for 2-way audio communication** Reboot the device remotely by SMS command in case of any error Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support GPRS Data in SD card Loaded to online tracking platform Send last valid position info in case of enter blind area Motion Sensor Alarm SOS Panic Alarm Overspeed Alarm; Movement Alarm; Geo-fence Alarm Low Battery Alarm Checking IMEI; Set Local Time Zone GPRS Setting Online Web tracking platform	**Dimension** 80 x 56 x 22mm **Net Weight** 50g **Box Size** 192x130x57mm **Gross Weight** 0.44kg per box

Unit Price(USD)		Optional Accessories	
Sample		Car Charger A	
MOQ (10)		Car Charger B	
100		Web Tracking	
500			
1000			

Standard Packing
1 x Main Unit & Box
2 x Batteries
1 x Wall Charger
1 x USB Cable
1 x User Manual

Model	Picture	Main Features	Size and Weight
TL201		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz Small size, enable to attach on keychain or hang around neck Inbuilt GPS and GSM Antenna Location inquiry by calling, sending SMS or on platform by GPRS Auto Track by Time Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Support Voice Surveillance Remotely by SMS commands **Inbuilt Microphone and speaker for 2-way audio communication** Support 2 preset numbers and fast dial in case of emergency Send last valid position info in case of enter blind area SOS Panic Alarm Overspeed Alarm Movement Alarm Geo-fence Alarm Low Battery Alarm Checking IMEI Set Local Time Zone GPRS Setting Online Web tracking platform	**Dimension** 71 x 43 x 20mm **Net Weight** 40g **Box Size** 172x112x53mm **Gross Weight** 0.30kg per box

Unit Price(USD)		Optional Accessories	
Sample		USB Data	
MOQ (10)		Car Charger A	
100		Web Tracking	
500			
1000			

Standard Packing
1 x Main Unit & Box
1 x Wall Charger
1 x USB Cable
1 x User Manual
1 x Lanyard

Model	Picture	Main Features	Size and Weight
TL202		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz Small size, enable to attach on keychain or hang around neck **Inbuilt high-capacity 1700mAh battery for 200 hours standby** Inbuilt GPS and GSM Antenna Location inquiry by calling, pressing ON/OFF or sending SMS Auto Track by Time Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Support Voice Surveillance Remotely by SMS commands **Inbuilt Microphone and speaker for 2-way audio communication** Support 2 preset numbers and fast dial in case of emergency Send last valid position info in case of enter blind area	**Dimension** 67 x 40 x 18mm **Net Weight** 57g **Box Size** 172x112x53mm **Gross Weight** 0.30kg per box

Standard Packing

Unit Price(USD)		Optional Accessories	
Sample		USB Data	
MOQ (10)		Car Charger A	
100		Web Tracking	
500			
1000			

Main Features	Size and Weight
SOS Panic Alarm Overspeed Alarm Movement Alarm Geo-fence Alarm Low Battery Alarm Checking IMEI Set Local Time Zone GPRS Setting Online Web tracking platform	**Standard Packing** 1 x Main Unit & Box 1 x Wall Charger 1 x USB Cable 1 x User Manual 1 x Lanyard

Model	Picture	Main Features	Size and Weight
GT30I		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz Inbuilt GPS & GSM Antenna, AGPS (With GSM Base Station ID) Location inquiry by calling, sending SMS or Preset Intervals Auto Track by Time & Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Inbuilt 4MB Memory (64,000 Points Storage) for Data Logging Support GSM Blind Area Memory & Alarm (in/out) Support Voice Surveillance Remotely by SMS commands **Inbuilt Microphone and speaker for 2-way audio communication** **Enable to answer phone call, call out and adjust volume** **Support preseting 2 speed-dial numbers and 1 SOS number** Inbuilt motion sensor for power-saving SOS Panic Alarm Overspeed Alarm, Movement Alarm, Geo-fence Alarm Low Battery Alarm Checking IMEI; Set Local Time Zone; Configure parameters via USB Cable, GPRS Setting	**Dimension** 77 x 51 x 25mm **Net Weight** 80g **Box Size** 190x130x60mm **Gross Weight** 0.50kg per box **Standard Packing** 1 x Main Unit W/ Battery 1 x Wall Charger 1 x Car Charger 1 x Earphone W/ MIC 1 x USB Cable 1 x User Manual 1 x CD-ROM 1 x Box

Unit Price(USD)		Optional Accessories	
Sample		USB Data	
MOQ (10)			
100			
500			
1000			

Part II: Car GPS Tracker

Model	Picture	Main Features	Size and Weight
GPS103A (TK103A)		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS and GSM Antenna; Shock Sensor Alarm (Optional) Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform Cut-off and Resume oil and Power remotely by SMS SOS Panic Alarm, Accident Alarm (Optional) Overspeed Alarm, Movement Alarm Geo-fence Alarm, GPS Blind Spot Alert Low Battery Alarm, Power-Cut Alarm ACC Working Alarm, Silent Mode without alarm siren Arming or Disarming by SMS remotely; Alarm under arming state: Door Alarm, Shock Alarm, ACC Alarm Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 83 x 54 x 26mm **Net Weight** 120g **Box Size** 192x130x57mm **Gross Weight** 0.55kg per box **Standard Packing** 1 x Main Unit & Box 1 x 10PIN Wire 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Shock Sensor	
MOQ (10)		Alarm Siren	
100		Accident Alarm	
500		Web Tracking	
1000			

Model	Picture	Main Features	Size and Weight
		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS and GSM Antenna Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform	**Dimension** 83 x 54 x 26mm **Net Weight** 120g **Box Size** 192x130x57mm **Gross Weight** 0.58kg per box

Model	Picture	Main Features	Size and Weight
GPS103B		Cut-off and Resume oil and Power remotely by SMS SOS Panic Alarm, **Report SOS by remote controller** Overspeed Alarm, Movement Alarm, Accident Alarm (Optional) Geo-fence Alarm, GPS Blind Spot Alert Low Battery Alarm, Power-Cut Alarm **Switch between Arm and Silent mode by Remote Controller** ACC Working Alarm, Shock Sensor Alarm (Optional) Arming & Disarming by SMS remotely or **by Remote Controller** Alarm under arming state: Door Alarm, Shock Alarm, ACC Alarm Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Standard Packing** 1 x Main Unit & Box 1 x Remote Controller 1 x 10PIN Wire 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Remote Control	
MOQ (10)		Shock Sensor	
100		Alarm Siren	
500		Accident Alarm	
1000		Web Tracking	

Model	Picture	Main Features	Size and Weight
GPS103A+ (TK103B)		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS and GSM Antenna Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely **Support 2 SIM Cards and Switchable from one to the other** **Support auto updating position while vehicle turn-around** Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform Cut-off and Resume oil and Power remotely by SMS SOS Panic Alarm, Overspeed Alarm, Movement Alarm Geo-fence Alarm, GPS Blind Spot Alert Low Battery Alarm; Power-Cut Alarm ACC Working Alarm,Fuel detection Alarm Arming/Lock & Disarming/Unlock by SMS remotely Alarm under arming state: Door Alarm, Shock Alarm, ACC Alarm Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 87 x 54 x 26mm **Net Weight** 130g **Box Size** 192x130x57mm **Gross Weight** 0.61kg per box **Standard Packing** 1 x Main Unit & Box 1 x 16PIN Wire 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Shock Sensor	
MOQ (10)		Alarm Siren	
100		Accident Alarm	
500		Central Locking	
1000		Fuel Sensor 50cm	
		Web Tracking	

Model	Picture	Main Features	Size and Weight
GPS103B+		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS and GSM Antenna, Accident Alarm (Optional) Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely **Support 2 SIM Cards and Switchable from one to the other** **Support auto updating position while vehicle turn-around** Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform Cut-off and Resume oil and Power remotely by SMS SOS Panic Alarm, **Report SOS by remote controller** Overspeed Alarm, Movement Alarm, GPS Blind Spot Alert Low Battery Alarm; Geo-fence Alarm, Multi-Areas Management **Switch between Arm and Silent mode by Remote Control** Power-Cut Alarm, ACC Working Alarm, Fuel detection Alarm, Arming/Lock & Disarming/Unlock by SMS or **Remote Control** Alarm under arming state: Door Alarm, Shock Alarm, ACC Alarm Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 87 x 54 x 26mm **Net Weight** 130g **Box Size** 192x130x57mm **Gross Weight** 0.61kg per box **Standard Packing** 1 x Main Unit & Box 1 x Remote Controller 1 x 16PIN Wire 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Remote Control	
MOQ (10)		Shock Sensor	
100		Alarm Siren	
500		Accident Alarm	
1000		Central Locking	
		Fuel Sensor 50cm	
		Web Tracking	

Model	Picture	Main Features	Size and Weight
	Motorcycle GPS Tracker 	U-Blox GPS Module + GSM Quad Band 850/900/1800/1900Mhz Inbuilt GPS and GSM Antenna, Tracky by SMS/GPRS Low power consumption, Quick signal Acquisition; Location inquiry by SMS or Call or on platform via GPRS Auto Track by Time Interval continuously Track on Mobile Phone by SMS W/ Google Map Link	**Dimension** 88 x 46 x 18mm **Net Weight** 40g

Model	Picture	Main Features	Size and Weight
TL210A		Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Support Data Loading to online tracking platform by GPRS Support pre-store 3 phone numbers to manage the device **Cut-off and Resume oil and Power remotely by SMS** SOS Panic Alarm Overspeed Alarm ACC Detection and Movement Alarm Geo-fence Alarm Low Battery Alarm External power wire cut-off Alarm Checking IMEI, Set Local Time Zone GPRS Setting Web platform tracking service **TL210B: Support waterproof up to 1.5 meters**	**Box Size** 128x112x102mm **Gross Weight** 0.36kg per box **Standard Packing** 1 x Main Unit & Box 1 x Battery 1 x External Power Wire 1 x CD W/ User Manual

Unit Price(USD)		Optional Accessories	
Sample		Waterproof Version	
MOQ (10)		Web Tracking	
100			
500			
1000			

Model	Picture	Main Features	Size and Weight
GPS104		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address Inbuilt GPS and GSM Antenna, Support external antennas **Inbuilt 6000mAh large capacity battery**, long standby time Support SMS/GPRS Track & Internet Network data transmission **Waterproof Shell, Inbuilt super magnetic (Optional)** Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB Support Data Loading to PC or online tracking platform Support auto updating position while vehicle turn-around **Cut-off and Resume oil and Power remotely by SMS** Sleep mode by time or shock sensor, Accident Alarm (Optional) SOS Panic Alarm, Shock Sensor Alarm Overspeed Alarm, Movement Alarm Geo-fence Alarm, Multi-Areas Management, GPS Blind Spot Alert Low Battery Alarm, Power-Cut Alarm Checking Current State, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 94 x 60 x 38mm **Net Weight** 300g **Box Size** 192x130x58mm **Gross Weight** 0.78kg per box 0.88kg per box W/ Magnetic **Standard Packing** 1 x Main Unit & Box 1 x 4PIN Wire 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x AC Adapter & Car Charg 1 x Waterproof Bag 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Accident Alarm	
MOQ (10)		Super Magnetic	
100		Web Tracking	
500			
1000			

Model	Picture	Main Features	Size and Weight
GPS106A		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS & GSM Antenna, **Support 2 SIM Cards installed** Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely **Support auto updating position while vehicle turn-around** **Support Camera to auto snapshot photo upon alarm trigger and view photos on cell phone or web server (Optional)** **Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB** Support Data Loading to PC or online tracking platform SOS Alarm, Cut-off and Resume oil and Power remotely by SMS Overspeed Alarm, Movement Alarm, GPS Blind Spot Alert Geo-fence Alarm, Low Battery Alarm, Power-Cut Alarm ACC Working Alarm, Fuel/Temperature Check Alerts (Optional) Arming/Lock & Disarming/Unlock by SMS remotely (Optional) Alarm under arming: Door, Bonnet, Footbrake, ACC, Shock(Optional) Door status Remind, Parking Warning, Start/turn off car remotely Checking Vehicle Status, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 92 x 71 x 26mm **Net Weight** 170g **Box Size** 192x130x57mm **Gross Weight** 0.68kg per box **Standard Packing** 1 x Main Unit & Box 1 x 16PIN Wire & 4PIN 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Shock Sensor	
MOQ (10)		Alarm Siren	
100		Accident Alarm	
500		Central Locking	
1000		Fuel Sensor 50cm	
		Camera	
		Temperature Sensor	
		Web Tracking	

Model	Picture	Main Features	Size and Weight
		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz	**Dimension**

Model	Picture	Main Features	Size and Weight
GPS106B		GPS + LBS Tracking, Position including absolute street address External GPS & GSM Antenna, **Support 2 SIM Cards installed** Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch between Track & Voice Surveillance Remotely **Support auto updating position while vehicle turn-around** **Support Camera to auto snapshot photo upon alarm trigger and view photos on cell phone or web server (Optional)** **Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB** Support Data Loading to PC or online tracking platform Cut-off and Resume oil and Power remotely by SMS SOS Panic Alarm, **Report SOS by remote controller** Overspeed Alarm, Movement Alarm, GPS Blind Spot Alert Geo-fence Alarm, Low Battery Alarm, Power-Cut Alarm **Switch between Arm and Silent mode by Remote Controller** ACC Working Alarm, Fuel/Temperature Check Alerts (Optional) Arming/Lock & Disarming/Unlock by SMS or **Remote Control** Alarm under arming: Door, Bonnet, Footbrake, ACC, Shock(Optional) Door status Remind, Parking Warning, Start/turn off car remotely Checking Vehicle Status, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	92 x 71 x 26mm **Net Weight** 170g **Box Size** 192x130x57mm **Gross Weight** 0.72kg per box **Standard Packing** 1 x Main Unit & Box 1 x 16PIN Wire & 4PIN 1 x Remote Controller 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual

Unit Price(USD)		Optional Accessories	
Sample		Shock Sensor	
MOQ (10)		Remote Control	
100		Alarm Siren	
500		Accident Alarm	
1000		Central Locking	
		Fuel Sensor 50cm	
		Camera	
		Temperature Sensor	
		Web Tracking	

Model	Picture	Main Features	Size and Weight
GPS107A		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS and GSM Antenna, **Support 2 SIM Cards installed** Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch among Track, Voice Surveillance & Call Remotely **Support 2-way voice communication like mobile phone** Support auto updating position while vehicle turn-around **Support Camera to auto snapshot photo upon alarm trigger and view photos on cell phone or web server (Optional)** **Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB** **Auto save position & alert in TF card if no GSM, GPRS Signal** Support Data Loading to PC or online tracking platform **Dial phone number on dialer (Optional) to make calls** Switch between Electric lock and Vapor lock by SMS Cut-off and Resume oil and Power remotely by SMS **Car Trigger Alerts, Alarm without GSM network service** **Automatic Central Locking System,** SOS Alarm Overspeed Alarm, Movement Alarm, GPS Blind Spot Alert Geo-fence Alarm, Low Battery Alarm, Power-Cut Alarm ACC Working Alarm, Fuel/Temperature Check Alerts (Optional) Arming/Lock & Disarming/Unlock by SMS remotely (Optional) Alarm under arming: Door, Bonnet, Footbrake, ACC, Shock Sensor Door status Remind, Parking Warning, Start/turn off car remotely Checking Vehicle Status, IMEI; Local Time Setting, Reset All Configure parameters via USB Cable, GPRS Setting Web platform and PC installation tracking software	**Dimension** 110 x 80 x 26mm **Net Weight** 215g **Box Size** 206x249x93mm **Gross Weight** 0.89kg per box **Standard Packing** 1 x Main Unit & Box 1 x 16PIN Wire & 6PIN 1 x Relay for cut oil & power 1 x GPS Antenna 1 x GSM Antenna 1 x Microphone 1 x CD 1 x User Manual **Note:** If applicable, You can only choose one from these 3 accessories for each device: handset, Speaker or LCD Screen; only choose one from these 3 accessories for each device: RFID or OBDII or CAN.

Unit Price(USD)		Optional Accessories	
Sample		Shock Sensor	
MOQ (10)		Alarm Siren	
100		Accident Alarm	
500		Central Locking	
1000		Fuel Sensor 50cm	
		Camera	
		Temperature Sensor	
		Handset Phone	
		LCD Display	
		RFID Reader &	
		OBDII	
		CAN	
		Dialer & Speaker	
		Web Tracking	

Model	Picture	Main Features	Size and Weight
		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz GPS + LBS Tracking, Position including absolute street address External GPS & GSM Antenna, **Support 2 SIM Card installed** Support SMS/GPRS Track & Internet Network data transmission Location inquiry by calling, sending SMS or on platform by GPRS Auto Track upon Time and Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Mode Switch among Track, Voice Surveillance & Call Remotely **Support 2-way voice communication like mobile phone**	**Dimension** 110 x 80 x 26mm **Net Weight** 215g **Box Size** 206x249x93mm **Gross Weight**

GPS107B



Unit Price(USD)		Optional Accessories	
Sample		Remote Control	
MOQ (10)		Shock Sensor	
100		Alarm Siren	
500		Accident Alarm	
1000		Central Locking	
		Fuel Sensor 50cm	
		Camera	
		Temperature Sensor	
		Handset Phone	
		LCD Display	
		RFID Reader &	
		OBDII	
		CAN	
		Dialer & Speaker	
		Web Tracking	

Support auto updating position while vehicle turn-around
Support Camera to auto snapshot photo upon alarm trigger and view photos on cell phone or web server (Optional)
Inbuilt Card Slot, Support MicroSD(TF) card up to 2GB
Auto save position and alert in TF card if no GSM, GPRS Signal
Support Data Loading to PC or online tracking platform
Dial phone number on dialer (Optional) to make calls
Switch between Electric lock and Vapor lock by SMS
Cut-off and Resume oil and Power remotely by SMS
Car Trigger Alerts, Alarm without GSM network service
Automatic Central Locking System, Accident Alarm (Optional)
SOS Panic Alarm, **Report SOS by remote controller**
Overspeed Alarm, Movement Alarm, GPS Blind Spot Alert
Geo-fence Alarm, Low Battery Alarm, Power-Cut Alarm
ACC Working Alarm, Fuel/Temperature Check Alerts (Optional)
Arming/Lock & Disarming/Unlock by SMS or **Remote Control**
Alarm under arming: Door, Bonnet, Footbrake, ACC, Shock
Door Alert, Parking Warning, Start/turn off car by **Remote control**
Checking Vehicle Status, IMEI; Local Time Setting, Reset All
Configure parameters via USB Cable, GPRS Setting
Web platform and PC installation tracking software

0.89kg per box

Standard Packing
1 x Main Unit & Box
1 x 16PIN Wire & 6PIN
1 x Relay for cut oil & power
1 x Remote Controller
1 x GPS Antenna
1 x GSM Antenna
1 x Microphone
1 x CD
1 x User Manual

Note: If applicable, You can only choose one from these 2 accessories for each device: handset, Speaker or LCD Screen; only choose one from these 3 accessories for each device: RFID or OBDII or CAN.

Model	Picture	Main Features	Size and Weight
VT300		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz External GPS and GSM Antenna, AGPS (With GSM Base Station ID), Location inquiry by calling, sending SMS or Preset Intervals Auto Track by Time & Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Support GSM Blind Area Memory & Alarm (in/out) **Support authorize 1 SOS number to ask for help** **Support auto updating position while vehicle turn-around** **Support Engine Cut with optional relay** **Inbuilt backup battery** SOS Panic Alarm Overspeed Alarm Movement Alarm Geo-fence Alarm Power-Cut Alarm Low Battery Alarm Checking IMEI; Set Local Time Zone; Configure parameters via USB Cable on PC, GPRS Setting 1 Digital Input & 1 Output	**Dimension** 115 x 60 x 21mm **Net Weight** 140g **Box Size** 211x162x70mm **Gross Weight** 0.60kg per box

Unit Price(USD)		Optional Accessories	
Sample		USB Data converter	
MOQ (10)		Relay for Engin-Cut	
100			
500			
1000			

Standard Packing
1 x Main Unit W/ Battery
1 x GSM Antenna
1 x GPS Antenna
1 x Wire W/ SOS Button
1 x CD-ROM
1 x Box

Model	Picture	Main Features	Size and Weight
VT310		SiRF III GPS Module + GSM Quad Band 850/900/1800/1900Mhz External GPS & GSM Antenna, AGPS (With GSM Base Station ID) Location inquiry by calling, sending SMS or Preset Intervals Auto Track by Time & Distance Interval Track on Mobile Phone by SMS W/ Google Map Link Real-Time Track on web tracking platform by GPRS Inbuilt 4MB Memory (64,000 Points Storage) for Data Logging Support GSM Blind Area Memory & Alarm (in/out) Support Voice Surveillance Remotely by SMS commands Support 2-way communication with Speaker & Microphone (Optional) **Support preset 1 SOS & 2 speed-dial number to ask for help** **Support auto updating position while vehicle turn-around** **Support Engine/Oil Cut with optional relay** **Inbuilt backup battery, motion sensor for power-saving** SOS Panic Alarm Overspeed Alarm, Movement Alarm, Geo-fence Alarm Power-Cut Alarm, Low Battery Alarm Checking IMEI; Set Local Time Zone; Configure parameters via USB Cable on PC, GPRS Setting 5 digital inputs, 5 outputs and 2 analog inputs	**Dimension** 104 x 62 x 24mm **Net Weight** 190g **Box Size** 211x162x70mm **Gross Weight** 0.60kg per box

Unit Price(USD)		Optional Accessories	
Sample		Microphone	
MOQ (10)		Relay for Engin-Cut	
100		Fuel Sensor 50cm	
500			
1000			

Standard Packing
1 x Main Unit W/ Battery
1 x GSM Antenna
1 x GPS Antenna
1 x Wire W/ SOS Button
1 x USB Cable
1 x CD-ROM
1 x Box

Part III: Optional Accessories			
Accessory	**Picture**	**Description**	**Applicable Model**
Car Charger A		Connect the device to car cigarette-lighter point for power supply	GPS102 TL201 TL202 XT107
Car Charger B		Connect the device to car batter for power supply	GPS102 XT107
Earphone W/ MIC		For 2-way audio communication	TK600
Microphone		**Please indicate while placing order** Integrated into gps tracker, Microphone for 2-way audio communication	VT310
USB Data Converter		Work with usb cable, Connect the device to PC for parameter configuration or data transmission or read stored data from internal memory	TL201 TL202 GT30I VT300
Shock Sensor		Detect shock on the device and trigger alarm	GPS103A/B GPS103A+/B+ GPS106A/B GPS107A/B
Central Locking Relay		Work with gps tracker to control central locking system	GPS103A+/B+
Engine & Oil Relay		Relay with cable for vehicle trackers to stop engine and cut-off oil and resume them	GPS103A/B GPS103A+/B+ GPS104 GPS106A/B, GPS107A/B VT300/VT310
Plastic Remote Controller		Remote control some operation on the device	GPS103B/B+
Metal Remote Controller		Remote control some operation on the device	GPS106A/B GPS107A/B
Alarm Siren		Siren to broadcast alarm	GPS103A/B GPS103A+/B+ GPS106A/B GPS107A/B
Accident Sensor		**Please indicate while placing order** It'll be integrated on mainboard in production Detect accident and trigger alarm	GPS103A/B GPS103A+/B+ GPS106A/B GPS107A/B
Central Locking Box		Work with 8PIN/5PIN/10PIN Wires to control central locking system	GPS106A/B GPS107A/B
Dialer Plate		Must work together with speaker for voice communication	GPS107A/B

Speaker		Work with dialer plate for voice communication	GPS107A/B
Handset Phone		dial out phone number, make phone call, inbuilt microphone and speaker for 2-way communication	GPS107A/B
LCD Display		display working status and dispatching commands	GPS107A/B
RFID Reader & Key		RFID Reader & Key	GPS107A/B
OBD II			GPS107A/B
CAN			GPS107A/B
Camera		Camera for photo snapshot	GPS106A/B GPS107A/B
Temperature Sensor		detect temperature (Length: 2m) Temperature scope: -50°C ~ +125°C	GPS106A/B GPS107A/B
Fuel Level Sensor		Single-pipe Fuel Sensor (Length: 50cm) Optional length scope: 0.33m~1.7m	GPS103A+/B+ GPS106A/B GPS107A/B VT310

Note

Payment	**1. Above prices are in US Dollars and exclude VAT or applicable duty or freight.**
	2. Payment Terms: Bank Transfer, Western Union, MoneyGram.
	3. For sample order or quantity less than 10 units, Western Union is preferred.
	4. For bank transfer, all international and source bank charges must be borne by the customer.
Lead Time	Quantities below 500 units will be delivered within 3 working days after receipt of payment.
	For quantities over 500 units, lead time varies according to different quantity and production schedule.
Rebranding	Rebranding accepted.
	For rebranding on tracker case, MOQ 500 units and extra USD300 required.
	For packing box redesign, MOQ 500 units and extra USD300 required.
Warranty	12 months